

*DEPARTMENT OF PUBLIC WORKS*  
*County of Kaua'i*  
Engineering Division


DRIVEWAY APPROACH  
APPLICATION  
With Curb & Gutter

---


**Note to Applicant:**

1. Fill out the attached application. All lines must be filled out. If you are the lot owner, please note who the contractor is, including their contact number, and label that person, "**CONTRACTOR.**"
2. All applications for driveway approach permits shall be accompanied by a plot plan showing any structures and indicating the **location** and **dimensions** of the driveway apron.
3. Please read all conditions before signing the attached application and only **ORIGINAL** signatures will be accepted.
4. Please call for inspectional services, 241-4887 or 241-4897, **at least two (2) calendar days** prior to concrete/asphalt application.

CURB RETURN TYPE DRIVEWAY MAY BE PERMITTED FOR PARKING AREAS EXCEEDING 100 SPACES, FIRE STATIONS AND HOSPITALS.




**PLAN**  
NO SCALE




**ELEVATION**  
SCALE: 1/4"=1'-0"


MATCH WIDTH OF EXISTING SIDEWALK WHENEVER POSSIBLE



**SECTION A-A**  
SCALE: 3/8"=1'-0"



**LONGITUDINAL/TRANSVERSE CONTRACTION JOINT**  
NO SCALE



**ALTERNATE DETAIL**  
SCALE: 3/8"=1'-0"

4" CONC. SLAB WITH 6"x6"-W2.9XW2.9 GALV. MESH FOR RESIDENTIAL DISTRICTS. 6" CONC. SLAB WITH 6"x6"-W2.9XW2.9 MESH FOR ALL OTHER DISTRICTS.

- NOTES:**
1. FOR NEW SUBDIVISIONS, PROVIDE CENTERLINE ROADWAY STATIONING TO THE CENTERLINE OF THE DRIVEWAY (APPLICABLE TO STD. DET. R-7).
  2. THIS DETAIL IS FOR GUIDANCE ONLY. A DESIGN DETAIL MAY BE REQUIRED FOR EACH SPECIFIC SITE. THE DETAIL MUST COMPLY WITH THE REQUIREMENTS SHOWN.
  3. THE FINISHED SURFACE OF APRONS SHALL BE BROOM FINISHED PERPENDICULAR TO CURB LINE.
  4. THE LONGITUDINAL AND TRANSVERSE CONTRACT JOINTS ARE SHOWN FOR GUIDANCE ONLY. JOINTS SHALL BE CONSTRUCTED IN ACCORDANCE WITH ENGINEERING AND POLICY MEMORANDUM NO. CEB-1-09.

CITY & COUNTY OF HONOLULU	<b>DRIVEWAY APRON</b> SCALE: AS NOTED	STANDARD DETAILS	<b>R-29A</b>
---------------------------	--	------------------	--------------

JULY 2009

**COUNTY OF KAUAI  
DEPARTMENT OF PUBLIC WORKS**

**APPLICATION AND PERMIT  
DRIVEWAY APPROACH**

LOT OWNER: \_\_\_\_\_

APPLICANT: \_\_\_\_\_

APPLICANT'S MAILING ADDRESS: \_\_\_\_\_  
\_\_\_\_\_

PHONE NUMBER: (W) \_\_\_\_\_ (H) \_\_\_\_\_

RELATIONSHIP TO OWNER: \_\_\_\_\_

TAX MAP KEY: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ : \_\_\_\_\_  
(ZONE) (SEC) (PLAT) (PARCEL)

NAME OF ROAD/STREET FRONTING LOT: \_\_\_\_\_

TYPE OF DRIVEWAY APPROACH: 1. (a) CONCRETE \_\_\_\_\_ (b) ASPHALT \_\_\_\_\_  
2. (a) RESIDENTIAL \_\_\_\_\_ (b) COMMERCIAL \_\_\_\_\_  
3. (a) First Driveway \_\_\_\_\_ (b) Driveway No. \_\_\_\_\_  
Replacing Existing Driveway Approach \_\_\_\_\_

**PERMIT IS GRANTED UNDER THE FOLLOWING CONDITIONS:**

1. That you will restore the road shoulder area to the original conditions, removing all excess dirt and debris, and repairing all damaged pavement and existing structures, pipes, and telephone conduits.
2. That the County of Kauai will not be held responsible for any public liability caused by or on account of the work you are performing; that you will assume responsibility for all such public liabilities that may arise on account of such work, as well as leave the County of Kauai harmless, and free from any damage claims to existing structures within the County right-of-way.
3. That you will abide by the rules and regulations of Ordinance No. 170, an Ordinance on Regulation of Driveway Approaches.
4. That you will notify the County for inspectional services **at least two (2) calendar days**, excluding Saturdays, Sundays, and Holidays, before commencing work on the construction project.
5. Best Management Practices shall be maintained at all times.
6. Courtesy Inspections will be given to residence lots under DHHL, commercial and residential lots with roads not yet dedicated to the County.

\_\_\_\_\_  
COUNTY ENGINEER

**CONDITIONS INDICATED HEREIN ABOVE ACCEPTED BY:**

\_\_\_\_\_  
SIGNATURE OF APPLICANT OR OWNER DATE

\_\_\_\_\_  
PRINT NAME