

DEPARTMENT OF PLANNING

KA'ĀINA HULL, DIRECTOR

JODI A. HIGUCHI SAYEGUSA, DEPUTY DIRECTOR



DEREK S.K. KAWAKAMI, MAYOR
REIKO MATSUYAMA, MANAGING DIRECTOR

September 9, 2024

Public Testimony and/or Agency comments received by the Planning Department as of September 8, 2025, 9:00 am for the Septe 9, 2025 Planning Commission meeting regarding the following item:

G.2.a. SPECIAL MANAGEMENT AREA USE PERMIT (SMA(U)-2026-2), CLASS IV ZONING PERMIT Z-IV-2026-3, and USE PERMIT U-2026-2 for the construction of a farm dwelling unit and associated site improvements within Lot 15 of the Seacliff Plantation Subdivision in Kilauea, involving a parcel situated at the terminus of Makana'ano Place, approx. 1,200 east of its intersection with Pali Moana Place, further identified as Tax Map Key: (4) 5-2-004:088 containing a total area of 5.11 acres = **CAROLINE NEAL. [Director's Report Received, 8/26/2025].**



County of Kaua'i
Planning Department
4444 Rice St., Suite A473 Lihue, HI 96766
(808) 241-4050

JUL 31 '25 AM 10:10
PLANNING DEPT

FROM: Kaaina S. Hull, Director

7/28/2025

SUBJECT: Class IV Z-IV-2026-3
Use Permit U-2026-2
Special Mgt Area Permit SMA(U)-2026-2
For the construction of a farm dwelling unit and associated site improvements within Lot 15 of the Seacliff Plantation Subdivision in Kilauea, involving a parcel situated at the terminus of Makana'ano Place, approx. 1,200 east of its intersection with Pali Moana Place, further identified as Tax Map Key: (4) 5-2-004:088 containing a total area of 5.11 acres.
Applicant: Caroline Neal (Laurel Loo, Esq., Authorized Agent)
Caroline Neal

TO:

- | | |
|--|--|
| <input type="checkbox"/> State Department of Transportation - STP | <input checked="" type="checkbox"/> County DPW - Engineering |
| <input type="checkbox"/> State DOT - Highways, Kauai (info only) | <input type="checkbox"/> County DPW - Wastewater |
| <input type="checkbox"/> State DOT - Airports, Kauai (info only) | <input type="checkbox"/> County DPW - Building |
| <input type="checkbox"/> State DOT - Harbors, Kauai (info only) | <input type="checkbox"/> County DPW - Solid Waste |
| <input checked="" type="checkbox"/> State Department of Health | <input type="checkbox"/> County Department of Parks & Recreation |
| <input type="checkbox"/> State Department of Agriculture | <input checked="" type="checkbox"/> County Fire Department |
| <input type="checkbox"/> State Office of Planning | <input type="checkbox"/> County Housing Agency |
| <input type="checkbox"/> State Dept. of Bus. & Econ. Dev. Tourism | <input type="checkbox"/> County Economic Development |
| <input type="checkbox"/> State Land Use Commission | <input checked="" type="checkbox"/> County Water Department |
| <input checked="" type="checkbox"/> State Historic Preservation Division | <input type="checkbox"/> County Civil Defense |
| <input type="checkbox"/> State DLNR - Land Management | <input type="checkbox"/> County Transportation Agency |
| <input type="checkbox"/> State DLNR - Forestry & Wildlife | <input type="checkbox"/> KHPRC |
| <input type="checkbox"/> State DLNR - Aquatic Resources | <input type="checkbox"/> U.S. Postal Department |
| <input type="checkbox"/> State DLNR - Conservation & Coastal Lands | <input checked="" type="checkbox"/> UH Sea Grant |
| <input type="checkbox"/> Office of Hawaiian Affairs | <input type="checkbox"/> Other: |

FOR YOUR COMMENTS (pertaining to your department)

*Possible Fire sprinkler req due to
proposed size of project.*

This matter is scheduled for a public hearing before the County of Kauai Planning Commission on 9/9/2025 at the Lihue Civic Center, Moikeha Building, Meeting Room 2A-2B, 4444 Rice Street, Lihue, Kauai, at 9:00 am or soon thereafter. If we do not receive your agency comments within one (1) month from the date of this request, we will assume that there are no objections to this permit request. Mahalo!



County of Kauai
Planning Department
4444 Rice St., Suite A473 Lihue, HI 96766
(808) 241-4050

AUG 21 '25 PM3:07
PLANNING DEPT

FROM: Kaaina S. Hull, Director

7/28/2025

SUBJECT: Class IV Z-IV-2026-3
Use Permit U-2026-2
Special Mgt Area Permit SMA(U)-2026-2
For the construction of a farm dwelling unit and associated site improvements within Lot 15 of the Seacliff Plantation Subdivision in Kilauea, involving a parcel situated at the terminus of Makana'ano Place, approx. 1,200 east of its intersection with Pali Moana Place, further identified as Tax Map Key: (4) 5-2-004:088 containing a total area of 5.11 acres.
Applicant: Caroline Neal (Laurel Loo, Esq., Authorized Agent)
Caroline Neal

TO:

- | | |
|--|--|
| <input type="checkbox"/> State Department of Transportation - STP | <input checked="" type="checkbox"/> County DPW - Engineering |
| <input type="checkbox"/> State DOT - Highways, Kauai (info only) | <input type="checkbox"/> County DPW - Wastewater |
| <input type="checkbox"/> State DOT - Airports, Kauai (info only) | <input type="checkbox"/> County DPW - Building |
| <input type="checkbox"/> State DOT - Harbors, Kauai (info only) | <input type="checkbox"/> County DPW - Solid Waste |
| <input checked="" type="checkbox"/> State Department of Health | <input type="checkbox"/> County Department of Parks & Recreation |
| <input type="checkbox"/> State Department of Agriculture | <input checked="" type="checkbox"/> County Fire Department |
| <input type="checkbox"/> State Office of Planning | <input type="checkbox"/> County Housing Agency |
| <input type="checkbox"/> State Dept. of Bus. & Econ. Dev. Tourism | <input type="checkbox"/> County Economic Development |
| <input type="checkbox"/> State Land Use Commission | <input checked="" type="checkbox"/> County Water Department |
| <input checked="" type="checkbox"/> State Historic Preservation Division | <input type="checkbox"/> County Civil Defense |
| <input type="checkbox"/> State DLNR - Land Management | <input type="checkbox"/> County Transportation Agency |
| <input type="checkbox"/> State DLNR - Forestry & Wildlife | <input type="checkbox"/> KHPRC |
| <input type="checkbox"/> State DLNR - Aquatic Resources | <input type="checkbox"/> U.S. Postal Department |
| <input type="checkbox"/> State DLNR - Conservation & Coastal Lands | <input checked="" type="checkbox"/> UH Sea Grant |
| <input type="checkbox"/> Office of Hawaiian Affairs | <input type="checkbox"/> Other: |

FOR YOUR COMMENTS (pertaining to your department)

This matter is scheduled for a public hearing before the County of Kauai Planning Commission on 9/9/2025 at the Lihue Civic Center, Moikeha Building, Meeting Room 2A-2B, 4444 Rice Street, Lihue, Kauai, at 9:00 am or soon thereafter. If we do not receive your agency comments within one (1) month from the date of this request, we will assume that there are no objections to this permit request. Mahalo!



STATE OF HAWAII
DEPARTMENT OF HEALTH
3040 Umi St. Lihue
Hawaii 96766

DATE: Aug 18, 2025

TO: To whom it may concern

FROM: Ellis Jones
District Environmental Health Program Chief

SUBJECT: RESPONSE_Caroline Neal_SMA(U)-2026-2

In most cases, the District Health Office will no longer provide individual comments to agencies or project owners to expedite the land use review and process.

Agencies, project owners, and their agents should apply Department of Health "Standard Comments" regarding land use to their standard project comments in their submittal. Standard comments can be found on the Land Use Planning Review section of the Department of Health website: <https://health.hawaii.gov/epo/landuse/>. Contact information for each Branch/Office is available on that website.

Note: Agencies and project owners are responsible for adhering to all applicable standard comments and obtaining proper and necessary permits before the commencement of any work.

General summary comments have been included for your convenience. However, these comments are not all-inclusive and do not substitute for review of and compliance with all applicable standard comments for the various DOH individual programs.

Clean Air Branch

1. All project activities shall comply with the Hawaii Administrative Rules (HAR), Chapters 11-59 and 11-60.1.
2. Control of Fugitive Dust: You must reasonably control the generation of all airborne, visible fugitive dust and comply with the fugitive dust provisions of HAR §11-60.1-33. Note that activities that occur near existing residences, businesses, public areas, and major thoroughfares exacerbate potential dust concerns. It is recommended that a dust control management plan be developed which identifies and mitigates all activities that may generate airborne and visible fugitive dust and that buffer zones be established wherever possible.

3. Standard comments for the Clean Air Branch are at:
<https://health.hawaii.gov/epo/landuse/>

Clean Water Branch

1. All project activities shall comply with the HAR, Chapters 11-53, 11-54, and 11-55. The following Clean Water Branch website contains information for agencies and/or project owners who are seeking comments regarding environmental compliance for their projects with HAR, Chapters 11-53, 11-54, and 11-55:
<https://health.hawaii.gov/cwb/clean-water-branch-home-page/cwb-standardcomments/>.

Hazard Evaluation & Emergency Response Office

1. A Phase I Environmental Site Assessment (ESA) and Phase II Site Investigation should be conducted for projects wherever current or former activities on site may have resulted in releases of hazardous substances, including oil or chemicals. Areas of concern include current and former industrial areas, harbors, airports, and formerly and currently zoned agricultural lands used for growing sugar, pineapple or other agricultural products.
2. Standard comments for the Hazard Evaluation & Emergency Response Office are at:
<https://health.hawaii.gov/epo/landuse/>.

Indoor and Radiological Health Branch

1. Project activities shall comply with HAR Chapters 11-39, 11-45, 11-46, 11-501, 11-502, 11-503, 11-504.
2. Construction/Demolition Involving Asbestos: If the proposed project includes renovation/demolition activities that may involve asbestos, the applicant should contact the Asbestos and Lead Section of the Branch at <https://health.hawaii.gov/irhb/asbestos/>.

Safe Drinking Water Branch

1. Agencies and/or project owners are responsible for ensuring environmental compliance for their projects in the areas of: 1) Public Water Systems; 2) Underground Injection Control; and 3) Groundwater and Source Water Protection in accordance with HAR Chapters 11-19, 11-20, 11-21, 11-23, 11-23A, and 11-25. They may be responsible for fulfilling additional requirements related the Safe Drinking Water program:
<https://health.hawaii.gov/sdwb/>.
2. Standard comments for the Safe Drinking Water Branch can be found at:
<https://health.hawaii.gov/epo/landuse/>.

Solid & Hazardous Waste Branch

1. Hazardous Waste Program - The state regulations for hazardous waste and used oil are in HAR Chapters 11-260.1 to 11-279.1. These rules apply to the identification, handling, transportation, storage, and disposal of regulated hazardous waste and used oil.
2. Solid Waste Programs - The laws and regulations are contained in HRS Chapters 339D, 342G, 342H and 342I, and HAR Chapters 11-58.1, and 11-282. Generators and handlers of solid waste shall ensure proper recycling or disposal at DOH-permitted solid waste management facilities. If possible, waste prevention, reuse and recycling are preferred options over disposal. The Office of Solid Waste Management also oversees the

electronic device recycling and recovery law, the glass advanced disposal fee program, and the deposit beverage container program.

3. Underground Storage Tank Program – The state regulations for underground storage tanks are in HAR Chapter 11-280.1. These rules apply to the design, operation, closure, and release response requirements for underground storage tank systems, including unknown underground tanks identified during construction.
4. Standard comments for the Solid & Hazardous Waste Branch can be found at: <https://health.hawaii.gov/epo/landuse/>.

Wastewater Branch

By Revised Statute 11-62-31.1 If the parcel is less than 10,000sq feet, an individual onsite waste-water unit may not be possible for future construction. Please contact DOH waste-water branch at 808-586-4288 for further information. For comments, please email the Wastewater Branch at doh.wwb@doh.hawaii.gov.

Sanitation / Local DOH Comments:

1. Noise may be generated during demolition and/or construction. The applicable maximum permissible sound levels, as stated in Title 11, HAR, Chapter 11-46, "Community Noise Control," shall not be exceeded unless a noise permit is obtained from the Department of Health.
2. According to HAR §11-26-35, No person, firm, or corporation shall demolish or clear any structure, place, or vacant lot without first ascertaining the presence or absence of rodents that may endanger public health by dispersal from such premises. Should any such inspection reveal the presence of rodents, the rodents shall be eradicated before demolishing or clearing the structure, site, or vacant lot. A demolition or land clearing permit is required prior to demolition or clearing.

Other

1. [CDC - Healthy Places - Healthy Community Design Checklist Toolkit](#) recommends that state and county planning departments, developers, planners, engineers, and other interested parties apply these principles when planning or reviewing new developments or redevelopment projects.
2. If new information is found or changes are made to your submittal, DOH reserves the right to implement appropriate environmental health restrictions as required. Should there be any questions on this matter, please contact the Department of Health, Kauai District Health Office at 808-241-3492.

Ellis Jones

Ellis Jones

District Environmental Health Program Chief
Office Phone: (808) 241-3326